

## ZPMV2.E322179 Wiring, Printed - Component

For enhanced search functionality, please visit UL's  $\underline{iQ^{TM}}$  Family of Databases. Click on a product designation for complete information.

Page Bottom

## Wiring, Printed - Component

See General Information for Wiring, Printed - Component

## RELIANCE TECHNOLOGY DEVELOPMENT LTD

E322179

Room E, 9th FI Shui Sum Industrial Bldg 8-10 Kwai Sau Rd

Kwai Chung, N T, HONG KONG

	Cond Width				Max			Max			
		Min	Cond	SS/	Area	Solder		Oper		Meets	С
	Min	Edge	Thk	DS/	Diam	Limits		Temp	Flame	UL796	т
Туре	mm(in)	mm(in)	mic(mil)	DSO	mm(in)	С	sec	С	Class	DSR	I
Multilayer printed wiring boards.											
RT-2	0.14 (0.006)	0.36 (0.014)	17 (0.67) Int:68	DS	25.4 (1.0)	288	20	130	V-0	All	*
Single layer Metal Base printed wiring boards.											
RT-M2	0.07 (0.003)	0.07 (0.003)	23 (0.91)	SS	50.8 (2.0)	288	20	90	V-0	All	0
Single layer Metal Base printed wiring boards, flammability only Recognition.											
RT-M1	-	-	-	SS	-	288	20	-	V-0	-	-
Single layer printed wiring boards.											
RT-1	0.14 (0.006)	0.36 (0.014)	17 (0.67)	DS	25.4 (1.0)	288	20	130	V-0	All	*
RT-1a	0.14 (0.006)	0.36 (0.014)	17 (0.67)	DS	25.4 (1.0)	288	20	130	V-0	All	-

<sup>\* -</sup> CTI marking is optional and may be marked on the printed wiring board.

Marking: Company name or trademark identification or burning test classification. or file number and type designation. May be followed by a suffix to denote factory

Last Updated on 2015-11-19

Questions? Print this page Terms of Use Page Top

© 2016 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a nonmisleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2016 UL LLC".